



International Academy UKE-Omega EMD Protocol v11.3

New Determinant Code Equivalence and Response Migration Worksheet

Please use the following worksheet to bring your response codes in line with the new coding changes from v11.1 Standard to v11.3 Omega.

Equivalence symbols indicate the following relationships between new and old codes:

- = Determinant Descriptor remained the same.
- ≈ Determinant Descriptor has changed.
- ≠ This is a completely new code.

11.3 Omega code Equivalence 11.1 Standard code (old)

PROTOCOL 1 – Abdominal Pain / Problems

1-D-1	=	same
1-C-1	=	same
1-C-2	=	same
1-C-3	=	same
1-C-4	=	same
1-A-1	=	same
1-Ω-1	≠	new
1-Ω-2	≠	new

PROTOCOL 2 – Allergies (Reactions) / Envenomations (Stings, Bites)

2-E-1	=	same
2-D-1	=	same
2-D-2	=	same
2-D-3	=	same
2-D-4	=	same
2-D-5	=	same
2-C-1	=	2-C-2

2-C-2	=	2-C-1
2-B-1	≈	2-B-1
2-A-1	≈	2-A-1
2-A-2	≈	2-A-2
2-Ω-1	≠	new (≈ from 2-A-1)
2-Ω-2	≠	new (≈ from 2-A-2)

PROTOCOL 3 – Animal Bites / Attacks

3-D-1	=	same
3-D-2	=	same
3-D-3	=	same
3-D-4	=	same
3-D-5	=	same
3-D-6	=	same
3-B-1	=	same
3-B-2	=	same
3-B-3	≈	3-B-3
3-A-1	≈	3-A-1
3-Ω-1	≠	new (≈ from 3-A-1)
3-Ω-2	=	3-A-2
3-Ω-3	=	3-A-3

PROTOCOL 4 – Assault / Sexual Assault

4-D-1	=	same
4-D-2	=	same
4-D-3	=	same
4-D-4	=	same
4-D-5	=	same
4-B-1	=	same
4-B-2	=	same
4-B-3	≈	4-B-3
4-A-1	≈	4-A-1
4-A-2	≈	4-A-2
4-Ω-1	≠	new (≈ from 4-A-1)
4-Ω-2	≠	new (≈ from 4-A-2)

PROTOCOL 5 – Back Pain (Non-Traumatic or Non-Recent Trauma)

5-D-1	=	same
-------	---	------

5-C-1	=	same
5-A-1	=	same
5-A-2	=	same

PROTOCOL 6 – Breathing Problems

6-E-1	=	same
6-D-1	=	same
6-D-2	=	same
6-D-3	=	same
6-C-1	=	same
6-C-2	=	same

PROTOCOL 7 – Burns (Scalds) / Explosion

7-D-1	=	7-D-5
7-D-2	=	7-D-1
7-D-3	=	7-D-2
7-D-4	=	7-D-3
7-C-1	=	same
7-C-2	=	same
7-C-3	=	same
7-B-1	≈	7-B-1
7-A-1	=	same
7-A-2	=	same
7-Ω-1	=	7-A-3

New suffix “**E**” has replaced 7-D-4 for Explosion

New suffix “**F**” added for: Fire present

PROTOCOL 8 – Carbon Monoxide / Inhalation / Hazchem

8-D-1	=	same
8-D-2	=	same
8-D-3	=	same
8-D-4	=	same
8-D-5	=	same
8-D-6	≈	8-D-6
8-C-1	=	same
8-B-1	=	same

8-Ω-1 = 8-A-1

PROTOCOL 9 – Cardiac or Respiratory Arrest / Death

9-E-1 = same

9-E-2 = same

9-E-3 = same

9-E-4 = same

9-E-5 = same

9-E-6 = same

9-D-1 = same

9-B-1 ≈ 9-B-1

9-Ω-1 ≈ 9-Ω-1

New lower case suffixes added to 9-B-1 and 9-Ω-1

PROTOCOL 10 – Chest Pain

10-D-1 = same

10-D-2 = same

10-D-3 = same

10-D-4 = same

10-C-1 = same

10-C-2 = same

10-C-3 = same

10-C-4 = same

10-A-1 ≈ 10-A-1

10-A-2 ≠ new

10-Ω-1 ≠ new

PROTOCOL 11 – Choking

11-E-1 = same

11-D-1 = same

11-D-2 = same

11-Ω-1 = 11-A-1

PROTOCOL 12 – Convulsions / Fitting

12-D-1 = same

12-D-2 = same

12-D-3 = same

12-D-4 = same

12-C-1	=	same
12-C-2	=	same
12-C-3	=	same
12-B-1	=	same
12-A-1	=	same

New suffix “**E**” added for: Epileptic or Previous history of fitting

PROTOCOL 13 – Diabetic Problems

13-D-1	=	same
13-C-1	=	same
13-C-2	=	same
13-C-3	=	same
13-A-1	≈	13-A-1
13-Ω-1	≠	new (≈ from 13-A-1)

New suffix “**C**” added for: Combative or Aggressive

PROTOCOL 14 – Drowning (Near) / Diving / Scuba Accident

14-D-1	=	same
14-D-2	=	same
14-D-3	=	same
14-D-4	=	same
14-C-1	=	same
14-B-1	=	same
14-B-2	≈	14-B-2
14-Ω-1	=	14-A-1

PROTOCOL 15 – Electrocuting / Lightning

15-E-1	=	same
15-D-1	=	same
15-D-2	=	same
15-D-3	=	same
15-D-4	=	same
15-D-5	=	same
15-D-6	=	same
15-D-7	≈	15-D-7

15-C-1 = same

PROTOCOL 16 – Eye Problems / Injuries

16-D-1 = same

16-B-1 = same

16-A-1 = same

16-Ω-1 = 16-A-2

16-Ω-2 = 16-A-3

PROTOCOL 17 – Falls

17-D-1 = same

17-D-2 = same

17-D-3 ≈ 17-D-3

17-D-4 = same

17-B-1 = same

17-B-2 = same

17-B-3 ≈ 17-B-3

17-A-1 ≈ 17-A-1

17-A-2 ≈ 17-A-2

17-Ω-1 = same

17-Ω-2 ≠ new (≈ from 17-A-1)

17-Ω-3 ≠ new (≈ from 17-A-2)

New suffix “**J**” added for: Jumper (suicide attempt)

PROTOCOL 18 – Headache

18-C-1 = same

18-C-2 = same

18-C-3 = same

18-C-4 ≈ 18-C-4

18-C-5 ≈ 18-C-5

18-C-6 ≈ 18-C-5

18-C-7 = 18-C-6

18-B-1 ≈ 18-B-1

18-A-1 ≈ 18-A-1

18-Ω-1 ≠ new (≈ from 18-A-1)

PROTOCOL 19 – Heart Problems / A.I.C.D.

19-D-1	=	same
19-D-2	=	same
19-D-3	=	same
19-C-1	=	same
19-C-2	=	same
19-C-3	=	same
19-C-4	=	same
19-C-5	=	same
19-C-6	=	same
19-B-1	≈	19-B-1
19-A-1	=	same
19-A-2	=	same

PROTOCOL 20 – Heat / Cold Exposure

20-D-1	=	same
20-D-2	≠	new
20-C-1	=	same
20-B-1	=	same
20-B-2	≈	20-B-2
20-A-1	≈	20-A-1
20-Ω-1	≠	new (≈ from 20-A-1)

New suffix “**H**” added for: Heat exposure

New suffix “**C**” added for: Cold exposure

PROTOCOL 21 – Haemorrhage / Lacerations

21-D-1	=	same
21-D-2	=	same
21-D-3	=	same
21-C-1	=	same
21-B-1	=	same
21-B-2	=	same
21-B-3	=	same
21-A-1	=	same
21-A-2	≠	new

21-Ω-1	=	21-A-2
21-Ω-2	≠	new
21-Ω-3	≠	new

PROTOCOL 22 – Inaccessible Incident / Other Entrapments (Non-Vehicle)

22-D-1	≠	new
22-D-2	≠	new
22-D-3	≠	new
22-D-4	≠	new
22-D-5	≠	new
22-D-6	≠	new
22-B-1	≠	new
22-B-2	≠	new
22-B-3	≈	22-B-1
22-A-1	≠	new

New suffix “**A**” added for: Above ground (≥ 6ft/2m)

New suffix “**M**” added for: Multiple victims

New suffix “**B**” added for: Both Above ground & Multiple victims

PROTOCOL 23 – Overdose / Poisoning (Ingestion)

23-D-1	=	same
23-D-2	=	same
23-C-1	=	same
23-C-2	=	same
23-C-3	=	same
23-C-4	=	same
23-C-5	=	same
23-C-6	=	same
23-C-7	=	same
23-C-8	≈	23-C-8
23-C-9	=	same
23-B-1	=	same
23-Ω-1	=	same

PROTOCOL 24 – Pregnancy / Childbirth / Miscarriage

24-D-1	=	same
24-D-2	=	same
24-D-3	=	same
24-D-4	=	same
24-D-5	=	same
24-D-6	=	same

24-C-1	=	same
24-C-2	=	same
24-B-1	=	same
24-B-2	≈	24-B-2
24-A-1	≈	24-A-1
24-Ω-1	≠	new
24-Ω-2	≠	new (≈ from 24-A-1)

PROTOCOL 25 – Psychiatric / Abnormal Behaviour / Suicide Attempt

25-D-1	=	same
25-D-2	≠	new
25-B-1	≠	new
25-B-2	≠	new
25-B-3	=	25-B-2
25-B-4	≠	new
25-B-5	=	25-B-3
25-B-6	≈	25-B-4
25-A-1	≈	25-A-1
25-A-2	≠	new
25-Ω-1	≠	new (≈ from 25-A-1)
25-Ω-2	≠	new

New suffix “**V**” added for: Violent
 New suffix “**W**” added for: Weapons
 New suffix “**B**” added for: Both Violent and Weapons

PROTOCOL 26 – Sick Person (Specific Diagnosis)

26-D-1	=	same
26-C-1	≠	new
26-C-2	=	26-C-1
26-B-1	≈	26-B-1
26-A-1	≈	26-A-1
26-Ω-1	≠	new (≈ from 26-A-1)
26-Ω-2	=	26-A-2
26-Ω-3	=	26-A-3

26-Ω-4	=	26-A-4
26-Ω-5	=	26-A-5
26-Ω-6	=	26-A-6
26-Ω-7	=	26-A-7
26-Ω-8	≈	26-A-8
26-Ω-9	=	26-A-9
26-Ω-10	=	26-A-10
26-Ω-11	=	26-A-11
26-Ω-12	=	26-A-12
26-Ω-13	=	26-A-13
26-Ω-14	=	26-A-14
26-Ω-15	=	26-A-15
26-Ω-16	=	26-A-16
26-Ω-17	=	26-A-17
26-Ω-18	=	26-A-18
26-Ω-19	=	26-A-19
26-Ω-20	=	26-A-20
26-Ω-21	=	26-A-21
26-Ω-22	=	26-A-22
26-Ω-23	=	26-A-23
26-Ω-24	=	26-A-24
26-Ω-25	=	26-A-25
26-Ω-26	=	26-A-26
26-Ω-27	=	26-A-27
26-Ω-28	=	26-A-28

PROTOCOL 27 – Stab / Gunshot / Penetrating Trauma

27-D-1	=	same
27-D-2	=	same
27-D-3	=	same
27-D-4	=	same
27-D-5	=	same
27-B-1	=	same
27-B-2	=	same
27-B-3	=	same
27-B-4	≈	27-B-4
27-B-5	≠	new
27-A-1	=	same

PROTOCOL 28 – Stroke (CVA)

28-C-1	=	same
28-C-2	=	same
28-C-3	=	same

28-C-4	=	same
28-C-5	≠	new
28-C-6	≠	new
28-C-7	=	28-C-5
28-C-8	=	28-C-6
28-B-1	≈	28-B-1
28-A-1	=	same

New suffix “**L**” added for: Less than “**X**” hours (since the patient was last without problem)
 New suffix “**G**” added for: Greater than “**X**” hours (since the patient was last without problem)
 New suffix “**U**” added for: Unknown (when the patient was last without problem)

PROTOCOL 29 – Traffic / Transportation Accidents

29-D-1	=	same
29-D-2	=	same
29-D-3	=	same
29-D-4	=	same
29-D-5	=	same
29-B-1	=	same
29-B-2	=	same
29-B-3	=	same
29-B-4	=	same
29-B-5	≠	new
29-B-6	≈	29-B-5
29-A-1	≈	29-A-1
29-Ω-1	≠	new
29-Ω-2	≠	new (≈ from 29-A-1)

PROTOCOL 30 – Traumatic Injuries (Specific)

30-D-1	=	same
30-D-2	≈	30-D-2
30-D-3	=	same
30-B-1	=	same
30-B-2	=	same
30-A-1	≈	30-A-1
30-A-2	≈	30-A-2
30-Ω-1	≠	new (≈ from 30-A-1)
30-Ω-2	≠	new (≈ from 30-A-2)

30-Ω-3 ≠ new

PROTOCOL 31 – Unconscious / Fainting (Near)

31-E-1 = same

31-D-1 = same

31-D-2 = same

31-D-3 = same

31-C-1 = same

31-C-2 = same

31-C-3 = same

31-C-4 = same

31-C-5 = same

31-A-1 = same

PROTOCOL 32 – Unknown Problem (Collapse – 3rd Party)

32-D-1 = same

32-B-1 = same

32-B-2 = same

32-B-3 ≈ 32-B-3

PROTOCOL 33 – Transfer / Interfacility / Palliative Care

33-D-1 = same

33-C-1 = same

33-C-2 = same

33-C-3 = same

33-C-4 = same

33-C-5 = same

33-C-6 = same

33-A-1 = same

33-A-2 = same

33-A-3 = same